

Air Hammer / Riveter

Professional
A-max[®]

Long Barrel 250mm Air Hammer



AF66-JI-715

- Air inlet(PT):1/4"
- Air Consumption(CFM):10
- Blows Per Minute(B.P.M):2100
- Overall Length(mm):220
- Piston Stroke(mm):96
- Sound Pressure Level dBA:94
- Power Pressure Level dBA:105.3
- Vibration Level(M/sec²):10.6
- Net Weight(kg):2

250mm Heavy Duty Air Hammer



AF34-112

- Chisel Shank(in):0.401
- Bore Diameter(ID):3/4"(19.05mm)
- Stroke Length:3-5/8"(92mm)
- Blow Per Min(BPM):2200
- Sound Level(dBA):101
- Vibration(m/s²):7.0
- Air Pressure (PSI):90
- Air Inlet:(NPT):1/4"
- Avg.Air Cons.(CFM):6

Air Riveter



AF36-101

- Rivet Capacity:For setting blind rivets up to 3/16"(4.8mm)
- Rivet Material: Aluminum,steel,stainless steel
- Traction Power:1950 lbs(885kg)
- Working Pressure:60-100PSI(Depend on rivet material)
- Tool Stroke:0.552"(14mm)
- Weight:3.3 lbs(1.5kg)
- Nosepieces:2.4mm,3.2mm,4.0mm,4.8mm

150mm Composite Air Hammer



AF34-114H

- Chisel Shank(in):0.401
- Bore Diameter(ID):3/4"(19.05mm)
- Blow Per Min(BPM):4500
- Air Pressure (PSI):90
- Air Inlet*NPT:1/4"

Med.Barrel 190mm Air Hammer



AF66-711

- Air inlet(PT):1/4"
- Air Consumption(CFM):10
- Blows Per Minute(B.P.M):3000
- Overall Length(mm):175
- Piston Stroke(mm):66
- Sound Pressure Level dBA:99.8
- Power Pressure Level dBA:110.6
- Vibration Level(M/sec²):5.1
- Net Weight(kg):1.7

Air Riveter



AF36-103

- Rivet Capacity:For setting blind rivets up to 1/4"(6.4mm)
- Rivet Material: Aluminum,steel,stainless steel
- Traction Power:3110 lbs(1413kg)
- Working Pressure:80-100PSI(Depend on rivet material)
- Tool Stroke:0.748"(19mm)
- Weight:4.3 lbs(2kg)
- Nosepieces:2.4mm,3.2mm,4.0mm,4.8mm,6.4mm

190mm Air Hammer



AF34-106

- Chisel Shank(in):0.401
- Bore Diameter(ID):3/4"(19.05mm)
- Stroke Length:2-5/8"(66mm)
- Blow Per Min(BPM):3000
- Sound Level(dBA):99
- Vibration(m/s²):4.0
- Air Pressure (PSI):90
- Air Inlet:(NPT):1/4"
- Avg.Air Cons.(CFM):5.5

Extra Heavy Duty Air Hydraulic Riveter



AF36-200




- Capacity:3/32"-3/16"(2.4-4.8mm)
- Traction Power:1760 lbs(800kg)
- Tool Length:15.5mm
- Net Weight:3.3 lbs(1.5kg)
- Working Pressure:71-85PSI

Extra Heavy Duty Air Hydraulic Riveter



AF36-300

- Capacity:3/32"-1/4"(2.4-6.4mm)
- Traction Power:2750 lbs(1250kg)
- Tool Length:18mm
- Net Weight:4.4 lbs(2kg)
- Working Pressure:71-85PSI



Rivet Nut Tools



AF40-510

- Rivet Nut Capacity:M3-M5
- Free Speed:1200rpm
- Air Consumption:7.8cfm(220L/min)
- Length:178mm
- Weight:1.14kg
- Air Pressure:90psi(6.2bar)
- Air Inlet:1/4"
- Min Hose Size:3/8"(9.5mm)

Rivet Nut Tools



AF40-511

- Rivet Nut Capacity:M6-M8
- Free Speed:600rpm
- Air Consumption:7.8cfm(220L/min)
- Length:198mm
- Weight:1.26kg
- Air Pressure:90psi(6.2bar)
- Air Inlet:1/4"
- Min Hose Size:3/8"(9.5mm)

Rivet Nut Tools



AF40-512

- Rivet Nut Capacity:M10-M12
- Free Speed:400rpm
- Air Consumption:7.8cfm(220L/min)
- Length:210mm
- Weight:1.28kg
- Air Pressure:90psi(6.2bar)
- Air Inlet:1/4"
- Min Hose Size:3/8"(9.5mm)

Needle Scaler



AF48-04

- Free speed:3000b/min
- Air Inlet:1/4"
- Air Pressure:6kg/cm²
- Air Consumption:0.2m³/min
- Net Weight:2.59kg
- Tool Length:385mm

Pistol Grip Needle Scaler



AF48-05

- Free speed:3000b/min
- Air Inlet:1/4"
- Air Pressure:6kg/cm²
- Air Consumption:0.2m³/min
- Net Weight:2.67kg
- Tool Length:333mm

Pistol Grip Needle Scaler



AF66-110

- Air Inlet(PT):1/4"
- Air Consumption(CFM):10
- Blows Per Minute(B.P.M):3700
- Needle Diameter(mm):3*180
- Numbers of Needles(pcs):19
- Overall Length(mm):330
- Piston Stroke(mm):33
- Sound Pressure Level(dBA):97
- Power Pressure Level(dBA):107.8
- Vibration Level(m/sc²):8.7
- Net Weight(kg):2.7

Needle Scaler With 2mm x 29pcs Needles



AF66-100-2B

- Air Inlet(PT):1/4"
- Air Consumption(CFM):10
- Blows Per Minute(B.P.M):3700
- Needle Diameter(mm):3*180
- Numbers of Needles(pcs):19
- Overall Length(mm):375
- Piston Stroke(mm):33
- Sound Pressure Level(dBA):97
- Power Pressure Level(dBA):107.8
- Vibration Level(m/sc²):8.7
- Net Weight(kg):2.8

Needle Scaler



AF66-270NS

- Air Inlet(PT):1/4"
- Air Consumption(CFM):10
- Blows Per Minute(B.P.M):4600
- Needle Diameter(mm):3*180
- Numbers of Needles(pcs):19
- Overall Length(mm):420
- Piston Stroke(mm):33
- Sound Pressure Level(dBA):90.3
- Power Pressure Level(dBA):101.7
- Vibration Level(m/sc²):14.5
- Net Weight(kg):2.7

Needle Scaler



AF66-288NS

- Air Inlet(PT):1/4"
- Air Consumption(CFM):3
- Blows Per Minute(B.P.M):5500
- Needle Diameter(mm):3*125
- Numbers of Needles(pcs):12
- Overall Length(mm):290
- Piston Stroke(mm):32
- Sound Pressure Level(dBA):85.56
- Power Pressure Level(dBA):97.52
- Vibration Level(m/sc²):6.67
- Net Weight(kg):1.3

Air Screwdriver

Professional
A-max[®]

Air Screwdriver High Torque Type

- Air Pressure(kg/cm²): 6 / Standard Deviation(%):±3






Item No.	Speed (R.P.M)	Weight (g)	Length (mm)	Diameter (mm)	Noise (±2dBA)	Air Consumption (m ³ /min)	Torque Range (kgf-cm)	Min.Air Hose Bore (mm)	Machine Screw	Tapping Screw
AF65-510ABF	2200	730	3001	34	74	0.28	5-30	5	M2.8-M5	M2.2-M4
AF65-520ABF	1600	730	301	34	74	0.28	5-45	5	M2.8-M6	M2.2-M4.7
AF65-530ABF	1000	730	301	34	74	0.28	8-60	5	M3.3-M6.3	M2.7-M5
AF65-540ABF	800	730	301	34	74	0.28	10-70	5	M3.6-M6.8	M2.8-M5.4
AF65-550ABF	550	730	301	34	74	0.3	10-80	5	M3.6-M6.9	M2.8-M5.8
AF65-610ABF	2200	1385	352	42	78	0.55	10-80	8	M3.6-M6.9	M2.8-M5.8
AF65-620ABF	1200	1385	352	42	78	0.55	20-110	8	M4.4-M7.8	M3.6-M6.1
AF65-710ABF	770	1385	352	42	78	0.55	50-180	8	M6-M9.3	M4.7-M7.2
AF65-720ABF	430	1385	352	42	78	0.55	30-250	8	M5-M10	M4-M8
AF65-721ABF	300	1385	352	42	78	0.55	70-350	8	M6-M11.8	M4.7-M9.7
AF65-730ABF	300	1450	360	42	78	0.55	50-400	8	M6.8-M11.7	M5.3-M9.5

Air Screwdriver Low Noise Type

- Air Pressure(kg/cm²): 6 / Standard Deviation(%):±3



Item No.	Speed (R.P.M)	Weight (g)	Length (mm)	Diameter (mm)	Noise (±2dBA)	Air Consumption (m ³ /min)	Torque Range (kgf-cm)	Min.Air Hose Bore (mm)	Machine Screw	Tapping Screw
AF65-320ABF	2200	560	233	34	67	3.6	3-20	5	M2.2-M4.5	M1.7-M3.5
AF65-325ABF	1800	560	233	34	67	3.6	3-25	5	M2.2-M4.7	M1.7-M3.8
AF65-330ABF	1000	560	233	34	67	3.6	5-30	5	M2.8-M5	M2.3-M4
AF65-335ABF	800	560	233	34	67	3.6	8-40	5	M3.3-M5.7	M2.7-M4.4
AF65-340ABF	1700	560	233	34	70	6.5	5-45	5	M2.8-M5.8	M2.2-M4.7
AF65-345ABF	1400	880	270	42	70	6.5	7-50	8	M2.9-M6	M2.6-M4.9
AF65-350ABF	1000	880	270	42	70	6.5	7-65	8	M2.9-M6.4	M2.6-M5.4
AF65-355ABF	550	880	270	42	70	6.5	15-95	8	M4.1-M7	M3.1-M6
AF65-360ABF	300	900	270	42	70	6.5	30-180	8	M5-M9.3	M4-M7.2
AF65-365ABF	280	900	270	42	74	7.5	50-280	8	M6-M11	M4.9-M8.7
AF65-370ABF	250	900	278	42	74	7.5	70-350	8	M6.8-M11.7	M5.3-M9.5



Air Tool

Air Screwdriver High Torque Type

- Air Pressure(kg/cm²): 6 / Standard Deviation(%):±3



Item No.	Speed (R.P.M)	Weight (g)	Length (mm)	Diameter (mm)	Noise (±2dBA)	Air Consumption (m ³ /min)	Torque Range (kgf-cm)	Min.Air Hose Bore (mm)	Machine Screw	Tapping Screw
AF65-510BBP	2200	625	190	34	74	0.28	5-30	5	M2.8-M5	M2.2-M4
AF65-520BBP	1600	625	190	34	74	0.28	5-45	5	M2.8-M6	M2.2-M4.7
AF65-530BBP	1000	625	190	34	74	0.28	8-60	5	M3.3-M6.3	M2.7-M5
AF65-540BBP	800	625	190	34	74	0.28	10-70	5	M3.6-M6.8	M2.8-M5.4
AF65-550BBP	550	625	220	34	74	0.3	10-80	5	M3.6-M6.9	M2.8-M5.8
AF65-610BBP	2200	965	220	42	78	0.55	10-80	8	M3.6-M6.9	M2.8-M5.8
AF65-620BBP	1200	965	220	42	78	0.55	20-110	8	M4.4-M7.8	M3.6-M6.1
AF65-710BBP	770	1100	220	42	78	0.55	50-180	8	M6-M9.3	M4.7-M7.2
AF65-720BBP	430	1100	220	42	78	0.55	30-250	8	M5-M10	M4-M8
AF65-721BBP	300	1100	220	42	78	0.55	70-350	8	M6-M11.8	M4.7-M9.7
AF65-730BBP	300	1100	220	42	78	0.55	50-400	8	M6.8-M11.7	M5.3-M9.5

Air Screwdriver Low Noise Type

- Air Pressure(kg/cm²): 6 / Standard Deviation(%):±3



Item No.	Speed (R.P.M)	Weight (g)	Length (mm)	Diameter (mm)	Noise (±2dBA)	Air Consumption (m ³ /min)	Torque Range (kgf-cm)	Min.Air Hose Bore (mm)	Machine Screw	Tapping Screw
AF65-320BBP	2000	625	190	34	67	3.6	3-20	5	M2.2-M4.5	M1.7-M3.5
AF65-325BBP	1800	625	190	34	67	3.6	3-25	5	M2.2-M4.7	M1.7-M3.8
AF65-330BBP	1000	625	190	34	67	3.6	5-35	5	M2.8-M5	M2.3-M4
AF65-335BBP	800	625	190	34	67	3.6	10-40	5	M3.3-M5.7	M2.7-M4.4
AF65-340BBP	1700	965	220	34	70	6.5	7-50	5	M2.8-M5.8	M2.2-M4.7
AF65-345BBP	1400	965	220	42	70	6.5	10-60	8	M2.9-M6	M2.6-M4.9
AF65-350BBP	1000	965	220	42	70	6.5	12-75	8	M2.9-M6.4	M2.6-M5.4
AF65-355BBP	550	965	220	42	70	6.5	15-95	8	M4.1-M7	M3.1-M6
AF65-360BBP	300	1100	220	42	70	6.5	30-180	8	M5-M9.3	M4-M7.2
AF65-365BBP	220	1100	220	42	74	7.5	50-280	8	M6-M11	M4.9-M8.7
AF65-370BBP	230	1100	220	42	74	7.5	70-350	8	M6.8-M11.7	M5.3-M9.5

15Gauge Air C-Ring Fastener Tools(Standard Nose Type)



AF36-C1-80

- Closure Dia.:8.0mm
- Capacity:15g C-Ring
- Load Capacity:100Nails
- Length:315mm
- Width:90mm
- Height:182mm
- Wiegth:1.45kg
- Working Pressure:5-7bar,90-105psi

15Gauge Air C-Ring Fastener Tools(Standard Nose Type)



AF36-C1-45

- Closure Dia.:4.5mm
- Capacity:15g C-Ring
- Load Capacity:100Nails
- Length:315mm
- Width:90mm
- Height:182mm
- Wiegth:1.45kg
- Working Pressure:5-7bar,90-105psi

Multi-Function Mini Compressor



AF36-115

- Voltage:100-240V
- Hz:60
- Displacement(L/Min):32
- HP:1/6'
- Working Pressure:85-115psi
- AMP(A):1.2'
- RPM:3440
- Noise level:<60dBA

15Gauge Air C-Ring Fastener Tools(Standard Nose Type)



AF36-C1-8-65

- Closure Dia.:6.5mm
- Capacity:15g C-Ring
- Load Capacity:100Nails
- Length:315mm
- Width:90mm
- Height:182mm
- Wiegth:1.45kg
- Working Pressure:5-7bar,90-105psi

15Gauge Air C-Ring Fastener Tools(Long Nose Type)



AF36-C2-80

- Closure Dia.:8.0mm
- Capacity:15g C-Ring
- Load Capacity:100Nails
- Length:332mm
- Width:90mm
- Height:182mm
- Wiegth:1.5kg
- Working Pressure:5-7bar,90-105psi

Air Vacuum Kit (Air Suction/Blow Gun)



AF34-0210K

- Air Pressure(PSI): 90(0.62Mpa) to 435(3Mpa)
- Air Inlet(PT):1/4"
- Suction Power:9cmHg(with dust bag)
- Suitable for special using of **High Air Pressure** or normal 90PSI using.

15Gauge Air C-Ring Fastener Tools (Standard Nose Type)



AF36-C1-55

- Closure Dia.:5.5mm
- Capacity:15g C-Ring
- Load Capacity:100Nails
- Length:315mm
- Width:90mm
- Height:182mm
- Wiegth:1.45kg
- Working Pressure:5-7bar,90-105psi

Mini Air Brush Compressor



AF36-60R





- Voltage:100-240V
- Hz:50
- Displacement(L/Min):16
- HP:1/8'
- Working Pressure:40-60psi
- AMP(A):0.5'
- RPM:1440
- Noise level:<50dBA

Air Dent Puller



AF48-111

- Air Inlet(PT):1/4"
- Air Pressure:6kg/cm²
- Net Weight(kg):3.355kg
- Tool Length:1120mm
- Silde Hammer Weight:3 1/2 lb



1/4" Air Die Grinder



AF34-2202

- Free Speed (PRM):22000
- Collect Size:1/8"-1/4"(3-6mm)
- Sound Level(dBA):92
- Vibration(m/s²):8.1
- Air Pressure (PSI):90
- Air Inlet:(NPT):1/4"
- Air Exhaust Style:Rear
- Avg.Air Cons.(CFM):4
- Overlength:168mm

0.3HP Mini Air Angle Die Grinder



AF04-125

- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):1.1(0.5)
- Length In.(mm):6.1(155)
- RPM:2000
- Air Inlet In.:1/4
- Min.Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):2.6

0.5HP Low Speed Air Die Grinder



AF04-245A

- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):1.5(0.7)
- Length In.(mm):8.2(210)
- RPM:2600
- Air Inlet In.:1/4
- Min.Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):3.5

1/4" Angle Die Grinder



AF34-2203

- Free Speed (PRM):18000
- Collect Size:1/8"-1/4"(3-6mm)
- Sound Level(dBA):91
- Vibration(m/s²):5.7
- Air Pressure (PSI):90
- Air Inlet:(NPT):1/4"
- Air Exhaust Style:Rear
- Avg.Air Cons.(CFM):4
- Overlength:155mm

0.3HP Mini Air Angle Die Grinder



AF04-125

- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):1.3(0.6)
- Length In.(mm):7.3(185)
- RPM:7600
- Air Inlet In.:1/4
- Min.Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):2.6

0.5HP 3" Air Angle Die Grinder



AF04-200AL

- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):1.5(0.7)
- Length In.(mm):9.6(245)
- RPM:2200
- Air Inlet In.:1/4
- Min.Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):3.5

0.3HP Mini Air Die Grinder



AF04-120

- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):0.9(0.4)
- Length In.(mm):6.1(155)
- RPM:2500
- Air Inlet In.:1/4
- Min.Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):2.6

0.5HP Air Die Grinder



AF04-200

- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):1.3(0.6)
- Length In.(mm):7(180)
- RPM:2200
- Air Inlet In.:1/4
- Min.Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):3.5

0.5HP 5" Air Extension Die Grinder



AF04-200L

- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):1.8(0.8)
- Length In.(mm):11.2(285)
- RPM:2200
- Air Inlet In.:1/4
- Min.Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):3.5

0.5HP 115° Air Angle Die Grinder



AF04-2115

- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):1.5(0.7)
- Length In.(mm):7(180)
- RPM:1800
- Air Inlet In.:1/4
- Min.Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):3.5

0.75HP Air Angle Die Grinder



AF04-291

- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):1.8(0.8)
- Length In.(mm):7(180)
- RPM:1800
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):4.1

1HP 4" Air Angle Grinder



AF04-295

- Collect Size In.(mm):Grinding Wheel 4"
- Weight Lbs.(kg):2.2(1)
- Length In.(mm):8.7(220)
- RPM:1100
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):4.1

0.5HP 2" Air Angle Grinder



AF04-230

- Grinding Wheel:2"
- Weight Lbs.(kg):1.5(0.7)
- Length In.(mm):7(180)
- RPM:1500
- Air Inlet In.:1/4
- Min.Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):3.5

0.75HP Air Die Grinder



AF04-290

- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):1.4(0.5)
- Length In.(mm):7(180)
- RPM:2300
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):4.1

1HP 5.5" Air Extension Die Grinder



AF04-290L

- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):2(0.9)
- Length In.(mm):11(280)
- RPM:2200
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):4.1

0.5HP Low Speed Air Angle Die Grinder



AF04-224

- Collect Size In.(mm):1/4(6)
- Spindle Thread:3/8"-24
- Weight Lbs.(kg):2(0.9)
- Length In.(mm):8(205)
- RPM:1800
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):3.5

1HP 3.5" Air Extension Die Grinder



AF04-290AL




- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):18(0.8)
- Length In.(mm):9.4(240)
- RPM:2200
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):4.1

1HP 12" Air Extension Die Grinder



AF04-290L300

- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):2.9(1.3)
- Length In.(mm):17.5(445)
- RPM:2200
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):4.1



Air Tool

1HP 20" Air Extension Die Grinder



AF04-290L500

- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):3.9(1.8)
- Length In.(mm):25.6(650)
- RPM:2200
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):4.2

1HP Low Speed Air Die Grinder



AF04-29245A

- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):1.5(0.7)
- Length In.(mm):8.2(210)
- RPM:2600
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):4.1

1HP Low Speed Air Die Grinder



AF04-29265A

- Collect Size In.(mm):1/4(6)
- Weight Lbs.(kg):1.5(0.7)
- Length In.(mm):8.2(210)
- RPM:3 600
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):4.1

Reversible Air Die Grinder



AF04-252

- Chuck Size In.(mm):1/4(6)
- Weight Lbs.(kg):1.6(0.7)
- Length In.(mm):7.6(195)
- RPM:18000
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):3.6

Mini Die Grinder Tool Kit



AF04-120K

- 1Pc Die Grinder
- 2Pcs Spanners
- 5Pcs 1/4"(6mm) Shank Grinding Stone
- 5Pcs 1/8"(3mm) Shank Grinding Stone
- 1Pc 1/8" (3mm) Collect
- 1Pc Nipple
- 1Pc Blow Case

Air Die Grinder Tool Kit



AF04-200K

- 1Pc Die Grinder
- 2Pcs Spanners
- 5Pcs 1/4"(6mm) Shank Grinding Stone
- 5Pcs 1/8"(3mm) Shank Grinding Stone
- 1Pc 1/8" (3mm) Collect
- 1Pc Nipple
- 1Pc Blow Case

Mini Angle Die Grinder Tool Kit



AF04-125K

- 1Pc Angle Die Grinder
- 1Pc 2" Roloc Pad
- 5Pcs 2" Roloc Scotch Discs
- 1Pc 1/8"(3mm) Collect
- 1Pc Nipple
- 2Pcs Spanners
- 5Pcs 1/8"(3mm) Shank Grinding Stone
- 5Pcs 1/4"(6mm) Shank Grinding Stone
- 1Pc Blow Case

Angle Die Grinder Tool Kit



AF04-210K

- 1Pc Angle Die Grinder
- 5Pcs 2" Roloc Scotch Discs
- 5Pcs 3" Roloc Scotch Discs
- 1Pc 1/8"(3mm) Collect
- 1Pc Nipple
- 2Pcs Spanners
- 5Pcs 1/8"(3mm) Shank Grinding Stone
- 5Pcs 1/4"(6mm) Shank Grinding Stone
- 1Pc Blow Molded Case
- 2Pcs Roloc Pad
- 2Pcs Bolts

Air Ratchet Wrench Kit



AF04-700K / 705K

- 1Pc Ratchet Wrench
- 7Pcs Sockets
- 1Pc Nipple
- 1Pc Universal Joint
- 1Pc 75mm Extension Bar
- 1Pc Blow Molded Case

0.5HP Air Cutter



AF04-250

- Grinding Wheel:Cutting Wheel 3"
- Weight Lbs.(kg):1.8(0.8)
- Length In.(mm):7.6(195)
- RPM:2100
- Air Inlet In.:1/4
- Min.Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):3.5

4" Extension Air Cutter



AF04-29439

- Cutting Wheel 4"
- Weight Lbs.(kg):3.2(1.4)
- Length In.(mm):13.6(345)
- RPM:1400
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):4.1

4" Extended Reversible Air Axial Cutter



AF04-254B

- Cutting Wheel:4"
- Weight Lbs.(kg):2.4(1.1)
- Length In.(mm):14.5(370)
- RPM:15000
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):3.6

0.75HP Heavy Duty 3" Air Cutter



AF04-292

- Collect Size In.(mm):Cutting Wheel 3"
- Weight Lbs.(kg):1.8(0.8)
- Length In.(mm):7.5(190)
- RPM:2300
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):4.1

4" Extension Air Cutter



AF04-25439

- Grinding Wheel: Cutting Wheel 4"
- Weight Lbs.(kg):3.2(1.45)
- Length In.(mm):14.5(370)
- RPM:1300
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):4.1

4" Reversible Air Axial Grinder



AF04-255B

- Cutting Wheel:4"
- Weight Lbs.(kg):2.4(1.1)
- Length In.(mm):9.4(240)
- RPM:13000
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):3.6

3" Reversible Air Cutter



AF04-250R

- Cutting Wheel:3"
- Weight Lbs.(kg):2(0.9)
- Length In.(mm):8(205)
- RPM:18000
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):3.6

4" Extended Reversible Air Axial Cutter



AF04-25639




- Grinding Wheel: Cutting Wheel 4"
- Weight Lbs.(kg):2.2(1)
- Length In.(mm):9(230)
- RPM:1300
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):4.1

4" Reversible Air Axial Grinder



AF04-256B

- Cutting Wheel:4"
- Weight Lbs.(kg):2.4(1.1)
- Length In.(mm):9.4(240)
- RPM:15000
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):3.6



Air Tool

Air Scissors



AF04-310

- Cutting capacity:
Steel:1.2mm
Aluminum:1.6mm
- Weight Lbs.(kg):2.2(1)
- Length In.(mm):11.4(290)
- RPM:2600
- Air Inlet In.:1/4
- Min.Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):3.7

Pistol-Grip Air Scissors



AF04-330

- Cutting capacity:
Steel:1.2mm
Aluminum:1.6mm
- Weight Lbs.(kg):2.2(1)
- Length In.(mm):9.4(240)
- RPM:2600
- Air Inlet In.:1/4
- Min.Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):3.7

Air Saw & File



AF04-5

- Stroke Length:5mm
- Weight Lbs(kg):1.5(0.7)
- Length In.(mm):6.5(165)
- RPM:5000
- Air Inlet In.:1/4
- Min. House Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):4

Aie Saw & File



AF04-10

- Stroke Length:10mm
- Weight Lbs(kg):1.8(0.8)
- Length In.(mm):8.8(225)
- RPM:9000
- Air Inlet In.:1/4
- Min. House Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):4

Air Micro Grinders



AF04-58A2

- Grinding Wheel:1/8,3/32,(3)
- Weight Lbs.(kg):0.7(0.33)
- Length In.(mm):5.2(132)
- RPM:58000
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):0.7

Air Micro Grinders Kit



AF04-60A2

- Grinding Wheel:1/8,3/32,(3)
- Weight Lbs.(kg):0.7(0.33)
- Length In.(mm):5.2(132)
- RPM:60000
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):0.7
- 1Pc Micro Grinder
- 2Pcs Spanners
- 1Pc Plug
- 1Pc 75mm Extension Bar
- 1Pc Blow Molded Cast

Air Micro Grinders Kit



AF04-60A2K

- Grinding Wheel:1/8,3/32,(3)
- Weight Lbs.(kg):0.7(0.33)
- Length In.(mm):5.2(132)
- RPM:60000
- Air Inlet In.:1/4
- Min. Hose Size In.(mm):3/8(10)
- Avg.Air Cons.(CFM):0.7
- 1Pc Micro Grinder
- 2Pcs Spanners
- 1Pc Plug
- Pc Lubricator
- 1Pc 75mm Extension Bar
- 1Pc Blow Molded Cast