



A-MAX International Ltd.
www.amaxtool.com.tw

A
M
A
X



▶▶ *Wooden Tool*



Wooden Tool

/ Clamp

SPREADER CLAMP (TWO-TONE)



- ▶ Comfortable TPR grip
- ▶ Quick change from clamps to spreader without extra tools
- ▶ Designed for extended durability and long lasting wear

Size Item No.	Material	Jaw	Clamping Capacity	Spreading Capacity	Throat depth	Pressure
CD01-PBP6	Body : Nylon+fiberglass Bar : Carbon steel	Soft TPR	6" (150mm)	6-1/2"~14"	80mm	140~180kgs
CD01-PBP12	Body : Nylon+fiberglass Bar : Carbon steel	Soft TPR	12" (300mm)	6-1/2"~20"	80mm	140~180kgs

QUICK GEAR CLAMP



- ▶ Allows for rapid-action clamping
- ▶ Handy quick-release button
- ▶ With a quick push of the power bar, the gear clamp provides up to 300kgs of clamping force

Size Item No.	Material	Jaw	Clamping Capacity	Throat depth	Pressure
CD01-QC4	Body : Aluminum Alloy Steel Bar : Carbon steel	Soft TPR	4" (100mm)	80mm	300kgs
CD01-QC8	Body : Aluminum Alloy Steel Bar : Carbon steel	Soft TPR	8" (200mm)	80mm	300kgs
CD01-QC12	Body : Aluminum Alloy Steel Bar : Carbon steel	Soft TPR	12" (300mm)	80mm	300kgs
CD01-QC18	Body : Aluminum Alloy Steel Bar : Carbon steel	Soft TPR	18" (450mm)	80mm	300kgs

QUICK LEVER CLAMP (TWO TONE)



- ▶ Comfortable TPR grip
- ▶ Quick lever handle for easy release
- ▶ Designed for extended durability and long lasting wear

Size Item No.	Material	Jaw	Clamping Capacity	Throat depth	Pressure
CD01-QL6	Body : Nylon+fiberglass Bar : Carbon steel	Soft TPR	6" (150mm)	80mm	140~180kgs (300~400lb)
CD01-QL12	Body : Nylon+fiberglass Bar : Carbon steel	Soft TPR	12" (300mm)	80mm	140~180kgs (300~400lb)
CD01-QL18	Body : Nylon+fiberglass Bar : Carbon steel	Soft TPR	18" (450mm)	80mm	140~180kgs (300~400lb)

SPREADER CLAMP (NEW BAR)



- ▶ Comfortable TPR grip
- ▶ Pistol grip, one handed operation
- ▶ One finger unlocks the quick release trigger
- ▶ Quick change from clamps to spreader without extra tools

Item No.	Size	Material	Jaw	Clamping Capacity	Spreading Capacity	Throat depth	Pressure
CD01-SB6	6"	Body : Nylon+fiberglass Bar : Carbon steel	Soft TPR	6" (150mm)	6-1/2"~14"	3-1/4"	130~160kgs
CD01-SB12	12"	Body : Nylon+fiberglass Bar : Carbon steel	Soft TPR	12" (300mm)	6-1/2" ~ 20"	3-1/4"	130~160kgs
CD01-SB18	18"	Body : Nylon+fiberglass Bar : Carbon steel	Soft TPR	18" (450mm)	6-1/2" ~ 26"	3-1/4"	130~160kgs
CD01-SB24	24"	Body : Nylon+fiberglass Bar : Carbon steel	Soft TPR	24" (600mm)	6-1/2" ~ 32"	3-1/4"	130~160kgs
CD01-SB36	36"	Body : Nylon+fiberglass Bar : Carbon steel	Soft TPR	36" (900mm)	6-1/2" ~ 44"	3-1/4"	130~160kgs


SPREADER CLAMP (SMART BAR)



- ▶ Soft TPR jaw pads protect surfaces from damage
- ▶ Nylon & fiberglass body for strength
- ▶ High quality carbon steel
- ▶ Quick change conversion from clamp to spreader without need of tools

Item No.	Size	Material	Jaw	Clamping Capacity	Spreading Capacity	Throat depth	Pressure
CD01-6B6	6"	Body : Nylon+fiberglass Bar : Carbon steel	Soft TPR	6" (150mm)	6-1/2"~14"	3-1/4"	110kgs
CD01-6B12	12"	Body : Nylon+fiberglass Bar : Carbon steel	Soft TPR	12" (300mm)	6-1/2"~20"	3-1/4"	110kgs
CD01-6B18	18"	Body : Nylon+fiberglass Bar : Carbon steel	Soft TPR	18" (450mm)	6-1/2"~26"	3-1/4"	110kgs
CD01-6B24	24"	Body : Nylon+fiberglass Bar : Carbon steel	Soft TPR	24" (600mm)	6-1/2"~32"	3-1/4"	110kgs
CD01-6B36	36"	Body : Nylon+fiberglass Bar : Carbon steel	Soft TPR	36" (900mm)	6-1/2"~44"	3-1/4"	110kgs

POWER CLAMP (TWO TONE)



- ▶ Comfortable TPR grip
- ▶ Quick lever handle for easy release
- ▶ Designed for extended durability and long lasting wear
- ▶ Patent: Taiwan, China, Germany, U.S.A

Item No.	Size	Material	Jaw	Spreading Capacity	Pressure
CD01-PC5	1-1/2"	75% Nylon+25% Fiberglass	Comfort TPR Grip	(38mm)	25kgs
CD01-PC7	2-1/4"	75% Nylon+25% Fiberglass	Comfort TPR Grip	(58mm)	35kgs
CD01-PC9	4"	75% Nylon+25% Fiberglass	Comfort TPR Grip	(100mm)	35kgs

SPRING CLAMP




Item No.	Size	Material	Jaw	Jaw Capacity	Item No.	Size	Material	Jaw	Jaw Capacity
CD01-SP3	3"	Nylon + fiberglass	Soft TPR	3"	CD01-SP6	6"	Nylon + fiberglass	Soft TPR	6"
CD01-SP4	4"	Nylon + fiberglass	Soft TPR	4"	CD01-SP9	9"	Nylon + fiberglass	Soft TPR	9"

STEEL SPRING CLAMP



Item No.	Size	Material	Jaw Capacity
CD01-GC4	4"	Carbon Steel PVC (coating)	4"
CD01-GC6	6"	Carbon Steel PVC (coating)	6"



Wooden Tool

/ Clamp

7/6/5 MULTI-ADJUSTABLE CLAMP



- ▶ Step1. Unscrew knob to unlock the jaw
- ▶ Step2. Adjust both jaws to your needs
- ▶ Step3. Screw the knob to lock the jaw position
- ▶ Step4. After clamping, press the trigger to release



Item No.	Size	Material	Jaw	Clamping Capacity	Pressure
WA35-TC0179		Nylon+Fiberglass	Soft TPR	7" (180mm)	30Kgs (66lb)



TC0159



TC0169



- ▶ The world's first hand adjustable jaw concept with five jaw angle to the maximum opening of 10"/254mm, making it the widest hand clamp in the market
- ▶ Over 100mm of jaw depth
- ▶ Patented push-trigger for easy release
- ▶ Ideal for position quick hold, hanging and gluing small items, etc.
- ▶ PA6+GF main body with TPR handle stripe and grip pads, EU approved materials - SGS Taiwan
- ▶ Patented in U.S.A, Germany and Taiwan



Item No.	Size	Material	Jaw	Clamping Capacity	Pressure	Item No.	Size	Material	Jaw	Clamping Capacity	Pressure
WA35-TC0159		Nylon+Fiberglass	Soft TPR	10" (254mm)	30Kgs (66lb)	WA35-TC0169		Nylon+Fiberglass	Soft TPR	10" (254mm)	30Kgs (66lb)

RATCHET CLAMP-MINI CLAW



- ▶ Patented pressure grip mechanism, allows for easy and simple operation
- ▶ High quality ridges plastic body for tough industrial, professional and hobbyist use
- ▶ TPR grooved pads firmly grip and protect work

Item No.	Size	Material	Jaw	Clamping Capacity	Pressure
WA35-TC107		Nylon+Fiberglass	Soft TPR	2" (50mm)	30Kgs (66lb)



RATCHET CLAMP



- ▶ Patented pressure grip mechanism, allows for easy and simple operation
- ▶ High quality ridges plastic body for tough industrial, professional and hobbyist use
- ▶ TPR grooved pads firmly grip and protect work

Item No.	Size	Material	Jaw	Clamping Capacity	Pressure
WA35-TC109		Nylon+Fiberglass	Soft TPR	3" (75mm)	30Kgs (66lb)




PRESSURE ADJUSTING POWER CLAMP-PINCER



- ▶ Aluminum body for tough industrial. Professional use
- ▶ Patented pressure grip mechanism, allows for easy and simple operation
- ▶ TPR pads firmly grip and protect work
- ▶ Ideal for welding, gas welding, clamping, gluing, holding work for sawing/drilling, and positioning work for fastening


Item No.	Size	Material	Jaw	Clamping Capacity	Pressure
WA35-TC109A		Aluminum	Soft TPR	3" (75mm)	30Kgs (66lb)



SPREADING BAR CLAMP / VISE




- ▶ Solid design for extended durability and long lasting wear
- ▶ Padded heads firmly grip and protect the work surface
- ▶ 7x22mm plated, round-edge high quality rail steel
- ▶ Ideal for clamping, spreading, gluing, holding work for sawing/drilling, welding, and positioning work for fastening



Item No.	Size	Material	Jaw	Clamping Capacity	Pressure
WA35-TC6HA	6"	Body : Aluminum alloy Bar : Carbon steel	Soft TPR	6" (150mm)	320kgs
WA35-TC12HA	12"	Body : Aluminum alloy Bar : Carbon steel	Soft TPR	12" (300mm)	320kgs
WA35-TC18HA	18"	Body : Aluminum alloy Bar : Carbon steel	Soft TPR	18" (450mm)	320kgs
WA35-TC24HA	24"	Body : Aluminum alloy Bar : Carbon steel	Soft TPR	24" (600mm)	320kgs

ALUMINUM BAR CLAMP



- ▶ Aluminum alloy body for tough industrial and professional use
- ▶ Movable tail-stop with trigger-spring head
- ▶ 15/16"x13/16" extruding anodized aluminum U-shaped rail bar
- ▶ 1/2" cold drawn steel screws with smoothly cut acme threads
- ▶ 4/3"x 2 1/4" TPR grid pads protects work surface
- ▶ Designed for extended durability and long lasting wear
- ▶ Suitable for a wide range of purposes



Item No.	Size	Material	Jaw	Clamping Capacity	Spreading Capacity	Pressure
WA35-TC24HDA	24"	Aluminum alloy	Soft TPR	24" (600mm)	730mm	350kgs
WA35-TC48HDA	48"	Aluminum alloy	Soft TPR	48" (1200mm)	1330mm	350kgs
WA35-TC72HDA	72"	Aluminum alloy	Soft TPR	72" (1800mm)	1930mm	350kgs

HEAVY DUTY PROFESSIONAL PIPE CLAMP



- ▶ 2-3/8" oversized clamping faces for extra security on clamped faced
- ▶ Constructed of heavy duty aluminum alloy with powder coating finish to resist corrosion
- ▶ Tail stop with multi-disc clutch for easy adjustment while holding work securely
- ▶ Two side sliding design with built-in stand legs
- ▶ Large surface TPR grooved pads
- ▶ Fits all 3/4" (27.2mm) metal pipes

※ Clamping pressure may vary pending type pipe is used

Item No.	Size	Material	Jaw	Pressure
WA35-TC0899	3/4"	Aluminum alloy	Soft TPR	1000Kgs

ALUMINUM BAR CLAMP & SPREADER



- ▶ Twisting screw knob converts from clamp to spreader. No tools required
- ▶ Exerts 250Kgs/550Lbs with one hand and 350Kgs/900Lbs with two hands of clamping/spreading pressure
- ▶ Designed for extended durability and long lasting wear
- ▶ TPR grooved pads firmly grip and protect work
- ▶ Ideal for clamping, spreading, gluing, holding work for sawing/drilling, welding and positioning work for fastening

Size Item No.	Material	Jaw	Clamping Capacity	Spreading Capacity	Pressure
WA35-TC8FA	Body : Aluminum alloy Bar : Carbon steel	Soft TPR	6" (150mm)	6-3/4"-14" (170-365mm)	250~350kgs
WA35-TC12FA	Body : Aluminum alloy Bar : Carbon steel	Soft TPR	12" (300mm)	6-3/4"-20-3/8" (170-515mm)	250~350kgs
WA35-TC18FA	Body : Aluminum alloy Bar : Carbon steel	Soft TPR	18" (450mm)	6-3/4"-26-1/4" (170-665mm)	250~350kgs
WA35-TC24FA	Body : Aluminum alloy Bar : Carbon steel	Soft TPR	24" (600mm)	6-3/4"-32-3/8" (170-815mm)	250~350kgs

ONE HAND BAR CLAMP & SPREADER



- ▶ Twisting knob quickly converts from clamp to spread and requires no tools
- ▶ Patented pistol grip design enhances comfort and easy of use
- ▶ High quickly ridged plastic body for tough industrial and professional use
- ▶ Non-marring pads grip firmly and protect work
- ▶ Designed for extended durability and long lasting wear
- ▶ Clamping force up to 150kg. Ideal for clamping/spreading, gluing holding work for sawing/drilling and positioning work for fastening







Size Item No.	Material	Jaw	Clamping Capacity	Spreading Capacity	Pressure
WA35-TC8FPT	Body : PAG+Fiberglass Bar : Carbon steel	Soft TPR	6" (150mm)	6 1/2"-13 3/4" (165-350mm)	150kg
WA35-TC12FPT	Body : PAG+Fiberglass Bar : Carbon steel	Soft TPR	12" (150mm)	6 1/2"-19 5/8" 165-500mm	150kg
WA35-TC18FPT	Body : PAG+Fiberglass Bar : Carbon steel	Soft TPR	18" (150mm)	6 1/2"-25 1/2" 165-650mm	150kg
WA35-TC24FPT	Body : PAG+Fiberglass Bar : Carbon steel	Soft TPR	24" (150mm)	6 1/2"-31 1/2" 165-800mm	150kg
WA35-TC36FPT	Body : PAG+Fiberglass Bar : Carbon steel	Soft TPR	36" (150mm)	6 1/2"-43 3/8" 165-1100mm	150kg

SPREADING BAR CLAMP




- ▶ EU approved ed-friendly materials, SGS approved recyclable materials
- ▶ Comfortable TPR grip
- ▶ Removable soft pads with angle grooves can easily provide secure hold to fragile object without scratching the surface

Item No.	Size Material	Jaw	Clamping Capacity	Spreading Capacity	Throat Depth	Pressure
WA35-TC00496T	Body : PA6+30% fiberglass Bar : Carbon steel	Soft TPR	6" (150mm)	425mm	86mm	170kgs
WA35-TC004912T	Body : PA6+30% fiberglass Bar : Carbon steel	Soft TPR	12" (300mm)	575mm	86mm	170kgs
WA35-TC004918T	Body : PA6+30% fiberglass Bar : Carbon steel	Soft TPR	18" (450mm)	725mm	86mm	170kgs
WA35-TC004924T	Body : PA6+30% fiberglass Bar : Carbon steel	Soft TPR	24" (600mm)	875mm	86mm	170kgs
WA35-TC004936T	Body : PA6+30% fiberglass Bar : Carbon steel	Soft TPR	36" (900mm)	1175mm	86mm	170kgs




WOODEN TOOL

TEMPLATE TOOL



PA23-TE07

- ▶ Great layout tool for creating complex shapes and angles.
- ▶ Easy to make repeat cuts on arches and joists.
- ▶ Template tool and be set to mark bricks, tiles, lumber, laminates and others.
- ▶ The arms are calibrated in inches and metric measures.




TRIMMING KNIFE



PA23-TKA600

- ▶ Ergonomic design
- ▶ Easy to change blades
- ▶ The comfortable handle fits left and right-handed users



HEAVY DUTY UTILITY KNIFE (THREE TONE)



※Supplied with 1 trapezoid blade and 4 spare trapezoid blades in cartridge


- ▶ ABS and TPR grip
- ▶ Quick-change mechanism
- ▶ One-handed operation
- ▶ Sturdy design

Size Item No.	Material	Grip
AC51-1635	Body:Zinc alloy	ABS and TPR

HEAVY DUTY IRON PULL BAR



- ▶ For laminate or parquet floor



Amax[®] International Co., Ltd

A 7F.-10, No.666, Sec. 2, Wuquan W. Rd.,
Nantun Dist., Taichung City 408, Taiwan

T 886-4-2383 0286

F 886-4-2383 0287

E amax@amaxtool.com

w www.amaxtool.com