



A-MAX International Ltd.
www.amaxtool.com.tw



▶▶ Tool Cabinet



HOME



AUTO



HEAVY DUTY

Tool Cabinet

To meet all your requirements in "One"



AM3801 / AM4101**AM3802 / AM4102****AM3803 / AM4103****AM3804 / AM4104****AM3801 / AM4101**

53PCS 1/4" DR. SUPER LOCK SOCKET SET
 1PC-1/4" DR. RATCHET WRENCH
 1PC-1/4" DR. SPINNER HANDLE 150mm
 1PC-1/4" DR. UNIVERSAL JOINT
 1PC-1/4" DR. FLEXIBLE EXTENSION BAR 150mm
 1PC-1/4" DR. SLIDING T-BAR
 3PCS-1/4" DR. EXTENSION: 50,100,150mm
 9PCS-1/4" DR. DEEP SOCKET: 5.6,7,8,9,10,11,12,13mm
 13PCS-1/4" DR. SOCKET: 4,4.5,5.5,6,7,8,9,10,11,12,13,14mm
 23PCS-1/4" DR. BIT SOCKET 37mm:
 PHILLIPS: #1, #2,#3
 POZI: #1,#2,#3
 SLOTTED: 4,5,5.6,5mm
 HEX: 3,4,5,6,7,8mm
 TORX: T8,T10,T15,T20,T25,T27,T30,T40

AM3805 / AM4105**AM3806 / AM4106****AM3807 / AM4107****AM3808 / AM4108****AM3803 / AM4103**

25PCS 1/2" DR. IMPACT HEX BIT & SOCKET SET
 1PC-1/2" DR. EXTENSION BAR 125mm
 1PC-1/2" DR. UNIVERSAL JOINT
 2PCS-1/2" DR. ADAPTER:
 3/8"(F) X 1/2" (M) AND 1/2" (F) X 3/8" (M)
 9PCS-1/2" DR. IMPACT BIT SOCKET 78mm (L) HEX:
 4,5,6,7,8,10,12,14,17mm
 12PCS-1/2" DR. IMPACT SOCKET 38mm (L):
 10,12,13,14,16,17,18,19,21,22,24,27mm

AM3804 / AM4104

51PCS 1/4" & 1/2" DR. SOCKET & BIT SET
 2PCS-COULPERS- 1/4" DR X 1/4" HEX & 1/2" DR X 10MM HEX
 5PCS-1/4" DR. E SOCKET: E4,E5,E6,E7,E8
 6PCS-10mm TORX-BITS 75mm (L): T20,T25,T30,T40,T45,T50
 7PCS-10mm TORX-BITS 30mm (L): T20,T25,T30,T40,T45,T50,T55
 9PCS-1/4" DR. TORX-BITS 30mm (L):
 T8,T10,T15,T20,T25,T27,T30,T35,T40
 9PCS-1/2" DR. E SOCKET:
 E10,E11,E12,E14,E16,E18,E20,E22,E24
 13PCS-TORX WRENCH:
 T9,T10,T15,T20,T25,T27,T30,T40,T45,T50,T55,T60,T70

AM3805 / AM4105

16PCS COMBINATION WRENCH SET
 SIZE: 6,7,8,9,10,11,12,13,14,15,16,17,18,19,22,24mm

AM3809 / AM4109**AM3810 / AM4110****AM3811 / AM4111****AM3812 / AM4112****AM3806 / AM4106**

8PCS 75° OFFSET RING WRENCH SET
 SIZE: 6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19, 21X23mm
AM3807 / AM4107
11PCS DOUBLE OPEN END WRENCH SET
 SIZE: 6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19, 20X22, 21X23, 24X27, 30X32mm

AM3808 / AM4108

8PCS FLARE NUT WRENCH SET
 SIZE: 6X10, 11X13, 12X14, 16X18, 17X19, 19X22, 24X27, 30X32mm

AM3809 / AM4109

7PCS DOUBLE FLEXIBLE SOCKET WRENCH SET
 SIZE: 6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19mm

AM3810 / AM4110

9PCS PUNCH & CHISEL SET
 1PC-CAPE CHISEL 7X12, 7X190mm
 1PC-CENTER PUNCH 4X9, 5X185mm
 2PCS-TAPER PUNCH: 2X9, 5X185mm, 3X9, 5X185mm
 5PCS-PIN PUNCH: 2X8, 0X140mm, 3X8, 0X150mm, 4X9, 5X180mm, 5X9, 5X200mm, 6X12, 7X210mm

AM3811 / AM4111

3PCS PLIER SET
 1PC-10" WATER PUMP PLIER
 1PC-6" LONG NOSE PLIER
 1PC-6" DIAGONAL PLIER

AM3813 / AM4113**AM3814 / AM4114****AM3815 / AM4115****AM3816 / AM4116****AM3812 / AM4112**

22PCS PRECISION SCREWDRIVER & HEX KEY SET
 6PCS-PRECISION SCREWDRIVER: PHILLIP: #00,#0,#1 SLOTTED: 2,2.5,3mm
 7PCS-FOLDING HEX KEY: 2,5,3,4,5,6,8,10mm
 9PCS-HEX BALL POINT KEY: 1.5,2,2.5,3,4,5,6,8,10

AM3813 / AM4113

7PCS SCREWDRIVER SET
 3PCS-PHILLIPS: #2X38mm, #1X75mm, #2X100mm
 4PCS-SLOTTED: 6X38mm, 5X100mm, 6X100mm, 8X150mm

AM3814 / AM4114

8PCS TORX SCREWDRIVER SET
 SIZE: T8X4X75mm, T10X5X100mm, T15X5X100mm, T20X5X100mm, T25X6X100mm, T27X6X100mm, T30X6X100mm, T40X8X115mm

AM3815 / AM4115

5PCS CHISEL & HAMMER SET
 1PC-300g HAMMER
 1PC-400g RUBBER HAMMER
 3PCS-CHISEL: 16X180mm, 18X180mm, 24X200mm

AM3816 / AM4116

EMPTY TRAY FOR FASTENER KIT
 MATERIAL: PS

AM3818 / AM4118**AM3819 / AM4119****AM3820 / AM4120****AM3821 / AM4121****AM3818 / AM4118**

10PCS NUT DRIVER SET
 10PCS - NUT DRIVER: 4X125mm, 5X125mm, 6X125mm, 7X125mm, 8X125mm, 9X125mm, 10X125mm, 11X125mm, 12X125mm, 13X125mm

AM3819 / AM4119

7PCS SCREWDRIVER SET
 3PCS - PHILLIPS SCREWDRIVER:
 #2X100mm, #1X80mm, #2X38mm
 4PCS - SLOTTED SCREWDRIVER:
 1.2X8X150mm, 1.2X6, 5X100mm, 1.0X5, 5X100mm, 1.2X6, 5X38mm

AM3820 / AM4120

8PCS TORX SCREWDRIVER SET
 8PCS - TORX SCREWDRIVER:
 T8X75mm, T10X75mm, T15X100mm, T20X100mm, T25X100mm, T27X100mm, T30X125mm, T40X150mm

AM3821 / AM4121

6PCS GO-THROUGH SCREWDRIVER SET
 3PCS - PHILLIPS SCREWDRIVER:
 #1X75mm, #2X100mm, #3X150mm
 3PCS - SLOTTED SCREWDRIVER:
 1.2X8X175mm, 1.2X6, 5X150mm, 1.0X5, 5X100mm

AM3823 / AM4123**AM3824 / AM4124****AM3825 / AM4125****AM3826 / AM4126****AM3827 / AM4127****AM3822 / AM4122**

34PCS HEX KEY SET
 1PC - HEX KEY HANDLE
 7PCS - FOLDING HEX KEY WRENCH:
 2,5,3,4,5,6,8,10mm
 8PCS - FOLDING TORX KEY WRENCH:
 T9,T10,T15,T20,T25,T27,T30,T40
 9PCS - HEX KEY WRENCH: 1,5,2,2.5,3,4,5,6,8,10mm
 9PCS - TORX KEY WRENCH:
 T10,T15,T20,T25,T27,T30,T40,T45,T50

AM3823 / AM4123

4PCS PLIERS SET
 1PC - 6" WIRE STRIPPING PLIERS
 1PC - 6" DIAGONAL PLIERS
 1PC - 7" COMBINATION PLIERS
 1PC - 8" LONG NOSE PLIERS

AM3824 / AM4124

2PCS PLIERS SET
 1PC - 10" WATER PUMP PLIERS
 1PC - 10" LOCKING PLIERS

AM3825 / AM4125

4PCS 7" CIRCLIP PLIERS SET
 1PC - INNER / STRAIGHT CIRCLIP PLIERS
 1PC - INNER / BENT CIRCLIP PLIERS
 1PC - OUTER / STRAIGHT CIRCLIP PLIERS
 1PC - OUTER / BENT CIRCLIP PLIERS

AM3832 / AM4132 NEW**AM3833 / AM4133 NEW****AM3834 / AM4134 NEW****AM3835 / AM4135 NEW****AM3822 / AM4122****AM3826 / AM4126**

5PCS AXIAL PLIERS SET
 1PC - W-TYPE AXIAL PLIERS 200mm, JAW ADJUSTMENT 0-15mm
 1PC - JJ-TYPE AXIAL PLIERS 230mm, JAW ADJUSTMENT 0-15mm
 1PC - LL-TYPE AXIAL PLIERS 215mm, JAW ADJUSTMENT 0-10mm
 1PC - J-TYPE AXIAL PLIERS 210mm, JAW ADJUSTMENT 0-15mm
 1PC - L-TYPE AXIAL PLIERS 195mm, JAW ADJUSTMENT 0-18mm

AM3829 / AM4129

6PCS 1/2" DR. SOCKET ACCESSORIES SET
 1PC - 1/2" DR. 18" FLEXIBLE HANDLE
 2PCS - 1/2" DR. EXTENSION BAR: 125,250mm
 3PCS - 1/2" DR. IMPACT SOCKET: 17,19,21mm

AM3830 / AM4130

4PCS PRY BAR W/ GO-THROUGH & MAGNETIC TOOLS SET
 1PC - 21" HEAVY DUTY FLEXIBLE MAGNETIC TOOL
 3PCS - HEAVY DUTY PRY BAR W/ GO-THROUGH: 8", 12", 18"

AM3831 / AM4131

2PCS TORQUE & CROSS WRENCH SET
 1PC - 1/2" DR. TORQUE WRENCH 40-210Nm
 1PC - 14" MULTI-ANGLES-FUNCTION CROSS WRENCH

AM3832 / AM4132

11PCS 72T DOUBLE RATCHET WRENCH SET
 CONTENTS:
 7PCS - DOUBLE RATCHET WRENCH:
 6X5mm, 8X9mm, 10X11mm, 12X13mm, 14X15mm, 16X18mm, 17X19mm
 4PCS - DOUBLE E-SOCKET RATCHET WRENCH:
 E6X8, E10X12, E14X18, E20X24

AM3836 / AM4136**AM3829 / AM4129****AM3830 / AM4130****AM3831 / AM4131****AM3832 / AM4132**

12PCS 72T STANDARD RATCHET WRENCH SET
 CONTENTS: 8,9,10,11,12,13,14,15,16,17,18,19mm

AM3834 / AM4134

12PCS 72T REVERSIBLE RATCHET WRENCH SET
 CONTENTS: 8,9,10,11,12,13,14,15,16,17,18,19mm

AM3835 / AM4135

12PCS 72T FLEXIBLE RATCHET WRENCH SET
 CONTENTS: 8,9,10,11,12,13,14,15,16,17,18,19mm

AM3836 / AM4136

13PCS 1/2" DR. DEEP IMPACT SOCKET SET
 CONTENTS: 10,13,14,16,17,18,19,21,22,24,27,30,32mm

AM3837 / AM4137

11PCS HAND & NEEDLE FILE SET
 5PCS - HAND FILE: FLAT, ROUND, HALF ROUND, SQUARE, TRIANGULAR FILE
 6PCS - NEEDLE FILE: FLAT, FLAT-POINT, ROUND, HALF ROUND, SQUARE, TRIANGULAR NEED FILE

WAGON

1. Fully shelf-closing ball bearing slide.
2. Large diameter surface covered handle, excellent sensible touching.
3. 6" x 2" heavy duty roller column caster. (2 swivel + 2 swivel with brake)
4. Protecting top of surface with 15mm thick particle board on top of roll-wagon.
5. One piece steel of cabinet body provide more strength to whole one unit body structure.
6. 100 numbers internal locking system for extra security.
7. Quick release design on ball bearing slide can be easily removed for replacement.
8. 100% open ball bearing slide.
9. Strengthen lower part under large drawer, can be loaded with extra large size tools capacity.
10. Patented locking system, pushing unlocked drawer to be locked while all others are locked.
11. Drawers are interchangeable.
12. Four fixture on tow sides, can be attached and hung other equipments.
13. Powder coating finishing.
14. Hemmed edge for all drawers and body to add strength and safety.
15. 2mm protective drawer liners.



Steel thickness:
Top and bottom covers: 1.5mm
Body: 1.2mm
Drawer: 1.0mm



One drawer open at a time locking system. When all of the drawers are locked, push the button to release the locked drawers.



TB53-13X

53" 13-Drawer Roll-Wagon Fully Shelf-Closing Ball Bearing Slides

	W	D	H
Overall	53	18	38 5/8 in.
	1358	460	980 mm
Overall	53	18	45 1/4 in.
With 6" Casters	1358	460	1150 mm
10 Drawers	22 5/8	15	2 15/16 in.
	576	380	75 mm
2 Drawers	22 5/8	15	6 in.
	576	380	154 mm
1 Drawer	47 13/16	15	6 13/16 in.
	1215	380	173 mm
	N.W.	G.W.	CUFT
	166 KGS	180 KGS	31.54'



TB53-11X

53" 11-Drawer Roll-Wagon Fully Shelf-Closing Ball Bearing Slides

	W	D	H
Overall	53	18	38 5/8 in.
	1358	460	980 mm
Overall	53	18	45 1/4 in.
With 6" Casters	1358	460	1150 mm
8 Drawers	22 5/8	15	2 15/16 in.
	576	380	75 mm
2 Drawers	22 5/8	15	9 3/16 in.
	576	380	233 mm
1 Drawer	47 13/16	15	6 13/16 in.
	1215	380	173 mm
	N.W.	G.W.	CUFT
	158 KGS	168 KGS	31.54'



TB53LS-7X

53" 7-Drawer Roll-Wagon Fully Shelf-Closing, Ball Bearing Slides One Drawer Open at a Time Locking System

	W	D	H
Overall	53	18	38 5/8 in.
	1358	460	980 mm
Overall	53	18	45 1/2 in.
With 6" Casters	1358	460	1150 mm
5 Drawers	47 7/8	15	3 15/16 in.
	1215	380	100 mm
2 Drawers	47 7/8	15	6 in.
	1215	380	153 mm
	N.W.	G.W.	CUFT
	140 KGS	150 KGS	30.5'



TB53-10PX

53" 10-Drawer Roll-Wagon With Bulk Storage Compartment Fully Shelf-Closing Ball Bearing Slides

	W	D	H
Overall	53	18	38 5/8 in.
	1358	460	980 mm
Overall	53	18	45 1/4 in.
With 6" Casters	1358	460	1150 mm
7 Drawers	22 5/8	15	2 15/16 in.
	576	380	75 mm
2 Drawers	22 5/8	15	6 in.
	576	380	154 mm
1 Drawer	47 13/16	15	6 13/16 in.
	1215	380	173 mm
Panel Area	23 11/16	15 7/8	9 1/4 in.
	603	404	234 mm
	N.W.	G.W.	CUFT
	151 KGS	161 KGS	31.54'



TB42-S7X

42" 7-Drawer Roll-Wagon With Bulk Storage Compartment Fully Shelf-Closing Ball Bearing Slides

	W	D	H
Overall	42	18	38 5/8 in.
	1070	460	980 mm
Overall	42	18	45 1/4 in.
With 6" Casters	1070	460	1150 mm
5 Drawers	22 5/8	15	2 15/16 in.
	576	380	75 mm
1 Drawer	22 5/8	15	6 in.
	576	380	154 mm
1 Drawer	36 1/2	15	6 13/16 in.
	927	380	173 mm
Panel Area	12 1/2	15 7/8	21 13/16 in.
	317.5	404	554 mm
	N.W.	G.W.	CUFT
	129 KGS	139 KGS	25'



TB42-10PX

42" 10-Drawer Roll-Wagon With Bulk Storage Compartment Fully Shelf-Closing Ball Bearing Slides

	W	D	H
Overall	42	18	38 5/8 in.
	1070	460	980 mm
Overall	42	18	45 1/4 in.
With 6" Casters	1070	460	1150 mm
5 Drawers	11 5/16	15	2 15/16 in.
	288	380	75 mm
2 Drawers	22 5/8	15	2 15/16 in.
	576	380	75 mm
1 Drawer	11 5/16	15	6 in.
	288	380	154 mm
1 Drawer	22 5/8	15	6 in.
	576	380	154 mm
1 Drawer	36 1/2	15	6 13/16 in.
	927	380	173 mm
Panel Area	23 11/16	15 7/8	9 1/4 in.
	603	404	234 mm
	N.W.	G.W.	CUFT
	137 KGS	147 KGS	25'

SIDE CABINET

Steel thickness:
Top and bottom covers: 1.2mm Body: 1.0mm
Drawer: 1.0mm



TB15-7X

7-Drawer Side-Cabinet Ball Bearing Slides

	W	D	H
Overall	15	18	31 5/16 in.
	382	460	795 mm
5 Drawers	11 5/16	15	2 15/16 in.
	288	380	75 mm
2 Drawers	11 5/16	15	6 in.
	288	380	154 mm
	N.W.	G.W.	CUFT
	41 KGS	47 KGS	8.5'



TB15-S7

2 Shelf Side-Cabinet

	W	D	H
Overall	15	18	31 5/16 in.
	382	460	795 mm
Panel Area	12 1/2	17 5/16	27 7/8 in.
	316	440	709 mm
	N.W.	G.W.	CUFT
	22.6 KGS	29.6 KGS	7.5'



TB15-H7

Work Panel Side-Cabinet Ball Bearing Slides

	W	D	H
Overall	15	18	31 5/16 in.
	382	460	795 mm
Panel Area	12 1/2	15 7/8	28 in.
	317.5	404	712 mm
	N.W.	G.W.	CUFT
	28.4 KGS	35.4 KGS	7.5'

ROLL WAGON



1. One piece steel of cabinet body provide more strength to whole one unit body structure.
2. Hemmed edge for all drawers and body to add strength and safety.
3. 100 numbers internal locking system for extra security.
4. Quick release design on ball bearing slide can be easily removed for replacement.
5. 100% open ball bearing slide.
6. Patented locking system pushing unlocked drawer to be locked while all others are locked.
7. Tool tray / side handle for easy lifting of roller wagon and can be holder for frequently used supplies.
8. 2 fixed caster + 2 swivel caster with brake.
9. 2mm protective drawer liners.
10. Powder coating finishing.
11. Two fixture on two sides, can be attached and hung other equipments.
12. Drawer are interchangeable.
13. Additional patented design one drawer open at a time locking system and shelf-closing ball bearing slide at your option.

Steel thickness:
Top and bottom covers: 1.2mm
Body: 1.0mm
Drawer: 1.0mm



• Can Buy It Separately



TB26-3PX

3-Drawer Roll-Wagon With Bulk Storage Compartment Ball Bearing Slides

	W	D	H
Overall	26	18	25 11/16 in.
	670	460	654 mm
With 4" Casters	26	18	30 1/2 in.
	670	460	777 mm
2 Drawers	22 5/8	15	2 15/16 in.
	576	380	75 mm
1 Drawer	22 5/8	15	6 in.
	576	380	154 mm
Panel Area	23 11/16	15 7/8	9 1/4 in.
	603	404	234 mm
N.W.	G.W.	CUFT	
43.4 KGS	50.4 KGS	10.03	



TB26-7X

7-Drawer Roll-Wagon Ball Bearing Slides

	W	D	H
Overall	26	18	31 7/8 in.
	670	460	812 mm
With 5" Casters	26	18	37 11/16 in.
	670	460	960 mm
5 Drawers	22 5/8	15	2 15/16 in.
	576	380	75 mm
2 Drawers	22 5/8	15	6 in.
	576	380	154 mm
Panel Area	23 11/16	15 7/8	9 1/4 in.
	603	404	234 mm
N.W.	G.W.	CUFT	
64 KGS	72 KGS	12.24'	

TB26-B4X

4-Drawer Roll-Wagon Ball Bearing Slides

	W	D	H
Overall	26	18	19 1/2 in.
	670	460	496 mm
3 Drawers	22 5/8	15	2 15/16 in.
	576	380	75 mm
1 Drawer	22 5/8	15	6 in.
	576	380	154 mm
N.W.	G.W.	CUFT	
38.65 KGS	43.86 KGS	9.5'	

TB26-B4X-W

4-Drawer Roll-Wagon Ball Bearing Slides

	W	D	H
Overall	26	18	19 1/2 in.
	670	460	496 mm
With 4" Casters	26	18	25 5/16 in.
	670	460	644 mm
3 Drawers	22 5/8	15	2 15/16 in.
	576	380	75 mm
1 Drawer	22 5/8	15	6 in.
	576	380	154 mm
N.W.	G.W.	CUFT	
44.38 KGS	49.3 KGS	9.5'	



TB26-5PX

5-Drawer Roll-Wagon With Bulk Storage Compartment Ball Bearing Slides

	W	D	H
Overall	26	18	31 7/8 in.
	670	460	812 mm
With 5" Casters	26	18	37 11/16 in.
	670	460	960 mm
4 Drawers	22 5/8	15	2 15/16 in.
	576	380	75 mm
1 Drawer	22 5/8	15	6 in.
	576	380	154 mm
Panel Area	23 11/16	15 7/8	9 1/4 in.
	603	404	234 mm
N.W.	G.W.	CUFT	
56 KGS	64 KGS	12.24'	

MIDDLE CHEST

1. Alum. Extrusion drawer's handle with cardboard and PVC strips to list contents of drawers.
2. Four pins on the four corners of middle chest fasten top chest prevent from moving.
3. 12mm protective mat on the top of the chest.
4. Heavy duty side handles.
5. Powder coating finishing.
6. 2mm protective drawer liners.
7. 100 numbers internal locking system for extra security.
8. Quick release design on ball bearing slide can be easily removed for replacement.
9. Drawer detent (stopper) prevent unintentional opening of drawer.
10. 100% open ball bearing slide.
11. "X" shape embossed at top and middle chests bottom provide better strength.
12. Rubber pad under the bottom of four corners prevent chest slip.

Steel thickness:
Body: 0.8mm
Drawer: 0.7mm



TB-1X

1-Drawer Middle Chest Ball Bearing Slides

	W	D	H
Overall	26	12	5 11/16 in.
	660	307	145 mm
1 Drawer	22 3/8	10 13/16	2 15/16 in.
	569	275	75 mm
N.W.	G.W.	CUFT	
8 KGS	9 KGS	2.3'	



TB-3X

3-Drawer Middle Chest Ball Bearing Slides

	W	D	H
Overall	26	12	9 7/8 in.
	660	307	251 mm
2 Drawers	22 3/8	10 13/16	1 15/16 in.
	569	275	50 mm
1 Drawer	22 3/8	10 13/16	2 15/16 in.
	569	275	75 mm
N.W.	G.W.	CUFT	
13 KGS	15.5 KGS	2.7'	



SERVICE CART

1. 4 pillars with patent clamp insert heavy duty design, assembly easily.
2. All series equipped with gas spring cylinder for safety and accessibility.
3. Aluminum extrusion drawer's handle with cardboard and PVC strips to list content of drawers.
4. 100 numbers internal locking system for extra security.
5. Patented locking system, pushing unlocked drawer to be locked while all others are locked.
6. Quick release design on ball bearing slide can be easily removed for replacement.
7. 2mm protective drawer liners.
8. 2mm protective liners for top and bottom shelves.
9. Drawer detent (stopper) prevent unintentional opening of drawer.
10. Powder coating finishing.

Steel thickness:
The covers: 1.8mm **Body: 1.0mm**
Drawer: 1.0mm **Pillar: 2.0mm**

TB302

2-Drawer Service Cart Ball Bearing Slides The Cover with Gas Spring

	W	D	H
Overall	30	19 1/4	29 11/16 in.
	764	490	754 mm
With 4" Casters	30	19 1/4	34 3/4 in.
	764	490	884 mm
2 Drawers	24 11/16	17 1/2	3 3/16 in.
	628	445	81 mm
N.W.	G.W.	CUFT	
44 KGS	47 KGS	6.92'	



TROLLEY

1. 4 pillars with patent clamp insert heavy duty design, assembly easily.
2. 2mm protective liners for top and bottom and middle shelves.
3. 2mm protective drawer liners.
4. Aluminum extrusion drawer's handle with cardboard and PVC strips to list content of drawers.
5. Powder coating finishing.
6. 100 numbers internal locking system for extra security.
7. Quick release design on ball bearing slide can be easily removed for replacement.
8. Drawer detent (stopper) prevent unintentional opening of drawer.
9. 100% open ball bearing slide.

Steel thickness:
Pillar: 1.5mm **Shelf: 1.0mm**
Drawer: 0.7mm

TB28-1X

1-Drawer Trolley Ball Bearing Slides

	W	D	H
Overall	28	16	29 5/8 in.
	716	410	752 mm
With 4" Casters	28	16	34 5/8 in.
	716	410	880 mm
1 Drawer	22 3/8	10 13/16	2 15/16 in.
	569	275	75 mm
N.W.	G.W.	CUFT	
23.2 KGS	24.6 KGS	2.7'	



WORKBENCH

- 100 numbers internal locking system for extra security.
- Heavy duty loaded up to 1000 kgs, optional 6mm P.P. impacting board (AC-CB) to protect table top.
- 2mm thickness of square pillar heavy duty structure.
- 4 adjustable leveling legs (AC-ADJ), adjust height and level.

Steel thickness:
 Wall cabinet: 1.0mm
 Workbench: 2.0mm
 Drawer: 0.7mm

- Powder coating finishing.
- Quick release design on ball bearing slide can be easily removed for replacement.
- Drawer detent (stopper) prevent unintentional opening of drawer.
- 100% open ball bearing slide.



TB59-A

Workbench			
	W	D	H
Overall	60	27 1/2	31 1/2 in.
	1525	700	800 mm
	N.W.	G.W.	CUFT
	48 KGS	49.5 KGS	6.5'



TB59-D

With 3 Drawer Chest Ball Bearing Slides			
	W	D	H
Overall	60	27 1/2	49 1/2 in.
	1525	700	1520 mm
Backpanel	60	13/16	19 5/8 in.
	1525	20	500 mm
3-Drawer	26	12	9 7/8 in.
Chest	660	307	251 mm
2 Drawers	22 3/8	10 13/16	1 15/16 in.
	569	275	50 mm
1 Drawer	22 3/8	10 13/16	2 15/16 in.
	569	275	75 mm
	N.W.	G.W.	CUFT
Box 1 of 2	59 KGS	62 KGS	6.5'
Box 2 of 2	13 KGS	15.5 KGS	2.7'



TB212LX

2-Large Drawer Portable Tool Chest Ball Bearing Slides			
	W	D	H
Overall	20 7/8	8 5/8	11 3/16 in.
	533	220	287 mm
2 Drawers	19 13/16	7 5/8	3 in.
	504	195	78.5 mm
	N.W.	G.W.	CUFT
	9.6 KGS	10.3 KGS	2.05'


TB48-A

Workbench			
	W	D	H
Overall	48	27 1/2	31 1/2 in.
	1220	700	800 mm
	N.W.	G.W.	CUFT
	43.2 KGS	46.1 KGS	5.78'



TB213

3-Drawer Portable Tool Chest Smooth Action Slides			
	W	D	H
Overall	20 7/8	8 5/8	11 3/16 in.
	533	220	287 mm
3 Drawers	19 13/16	7 5/8	2 in.
	504	195	51.5 mm
	N.W.	G.W.	CUFT
	10.2 KGS	10.9 KGS	2.05'



TB59-B

With 3-Drawer Chest Ball Bearing Slides			
	W	D	H
Overall	60	27 1/2	31 1/2 in.
	1525	700	800 mm
3-Drawer	26	12	9 7/8 in.
Chest	660	307	251 mm
2 Drawers	22 3/8	10 13/16	1 15/16 in.
	569	275	50 mm
1 Drawer	22 3/8	10 13/16	2 15/16 in.
	569	275	75 mm
	N.W.	G.W.	CUFT
Box 1 of 2	48 KGS	49.5 KGS	6.5'
Box 2 of 2	13 KGS	15.5 KGS	2.7'

TB59-F

With 3-Drawer Chest Ball Bearing Slides			
	W	D	H
Overall	60	27 1/2	49 1/2 in.
	1525	700	1520 mm
Backpanel	60	13/16	19 5/8 in.
	1525	20	500 mm
2 Wall	15 11/16	7 13/16	19 5/8 in.
Cabinet	400	200	500 mm
3-Drawer	26	12	9 7/8 in.
Chest	660	307	251 mm
2 Drawers	22 3/8	10 13/16	1 15/16 in.
	569	275	50 mm
1 Drawer	22 3/8	10 13/16	2 15/16 in.
	569	275	75 mm
	N.W.	G.W.	CUFT
Box 1 of 2	59 KGS	62 KGS	6.5'
Box 2 of 2	32.2 KGS	35.2 KGS	8'



TB214X

4-Drawer Portable Tool Chest Ball Bearing Slides			
	W	D	H
Overall	20 7/8	8 5/8	11 3/16 in.
	533	220	287 mm
2 Drawers	9 5/16	7 5/8	2 in.
	237	195	51.5 mm
2 Drawers	19 13/16	7 5/8	2 in.
	504	195	51.5 mm
	N.W.	G.W.	CUFT
	12.2 KGS	12.9 KGS	2.05'



PORTABLE TOOL CHEST



TB48-B

With 1-Drawer Chest Ball Bearing Slides			
	W	D	H
Overall	48	27 1/2	31 1/2 in.
	1220	700	800 mm
1-Drawer	26	12	5 11/16 in.
Chests	660	307	145 mm
1 Drawer	22 3/8	10 13/16	2 15/16 in.
	569	275	75 mm
	N.W.	G.W.	CUFT
Box 1 of 2	43.2 KGS	46.1 KGS	5.78'
Box 2 of 2	8 KGS	9 KGS	2.3'

TB212S

2-Small Drawer Portable Tool Chest Smooth Action Slides			
	W	D	H
Overall	20 7/8	8 5/8	9 1/8 in.
	533	220	232.5 mm
2 Drawers	19 13/16	7 1/2	2 in.
	504	195	51.5 mm
	N.W.	G.W.	CUFT
	7.4 KGS	8.9 KGS	1.64'

TB213X

3-Drawer Portable Tool Chest Ball Bearing Slides			
	W	D	H
Overall	20 7/8	8 5/8	11 3/16 in.
	533	220	287 mm
3 Drawers	19 13/16	7 5/8	2 in.
	504	195	51.5 mm
	N.W.	G.W.	CUFT
	11.2 KGS	11.9 KGS	2.05'

TOP CHEST



Option
Parts

1. Patented standard divider design on the top lid storage allows changing storage spaces at your option.
2. Powder coating finishing.
3. Chest cover lid stay keeps cover from accidentally closing.
4. Hemmed edge for body to add strength and safety.
5. Quick release design on ball bearing slide can be easily removed for replacement.
6. Drawer detent (stopper) prevent unintentional opening of drawer for replacement.
7. 100% open ball bearing slide.
8. Heavy duty side handles.

Steel thickness:

Body: 0.8mm

Drawer: 0.7mm

Drop-front: 1.0mm

9. Alum. extrusion drawer's handle with cardboard and PVC strips to list content of drawers.
10. 100 numbers internal locking system for extra security.
11. 2mm protective drawer liners.
12. "X" shape embossed at top and middle chests bottom provide better strength.
13. Rubber pads under the bottom of four corners prevent chests slip.
14. Chest cover automatically locks drawer when cover is closed.
15. Drawers are interchangeable.
16. Additional option parts gas spring can be used on chest cover.



TB222-4AX

4-Drawer A Type Top Chest
Ball Bearing Slides

	W	D	H
Overall	26	12	14 3/4 in.
	660	307	374 mm
3 Drawers	22 3/8	10 13/16	1 15/16 in.
	569	275	50 mm
1 Drawer	22 3/8	10 13/16	2 15/16 in.
	569	275	75 mm
N.W.	G.W.	CUFT	
22.5 KGS	25.5 KGS	3.97'	

TB222-6AX

6-Drawer A Type Top Chest
Ball Bearing Slides

	W	D	H
Overall	26	12	14 3/4 in.
	660	307	374 mm
3 Drawers	6 11/16	10 13/16	1 15/16 in.
	170	275	50 mm
2 Drawers	22 3/8	10 13/16	1 15/16 in.
	569	275	50 mm
1 Drawer	22 3/8	10 13/16	2 15/16 in.
	569	275	75 mm
N.W.	G.W.	CUFT	
25.4 KGS	28.4 KGS	3.97'	

TB222-9AX

9-Drawer A Type Top Chest
Ball Bearing Slides

	W	D	H
Overall	26	12 1/6	16 13/16 in.
	660	307	427 mm
6 Drawers	6 11/16	10 13/16	1 15/16 in.
	170	275	50 mm
2 Drawers	22 3/8	10 13/16	1 15/16 in.
	569	275	50 mm
1 Drawer	22 3/8	10 13/16	2 15/16 in.
	569	275	75 mm
N.W.	G.W.	CUFT	
30.2 KGS	34.2 KGS	4.3'	



TB222-5BX

5-Drawer B Type Top Chest
Ball Bearing Slides

	W	D	H
Overall	26	12	16 13/16 in.
	660	307	427 mm
4 Drawers	22 3/8	10 13/16	1 15/16 in.
	569	275	50 mm
1 Drawer	22 3/8	10 13/16	2 15/16 in.
	569	275	75 mm
N.W.	G.W.	CUFT	
23.7 KGS	27.7 KGS	4.3'	

TB222-6BX

6-Drawer B Type Top Chest
Ball Bearing Slides

	W	D	H
Overall	26	12	14 11/16 in.
	660	307	374 mm
3 Drawers	6 11/16	10 13/16	1 15/16 in.
	170	275	50 mm
2 Drawers	22 3/8	10 13/16	1 15/16 in.
	569	275	50 mm
1 Drawer	22 3/8	10 13/16	2 15/16 in.
	569	275	75 mm
N.W.	G.W.	CUFT	
23.9 KGS	26.9 KGS	3.97'	

TB222-9BX

9-Drawer B Type Top Chest
Ball Bearing Slides

	W	D	H
Overall	26	12	16 13/16 in.
	660	307	427 mm
6 Drawers	6 11/16	10 13/16	1 15/16 in.
	170	275	50 mm
2 Drawers	22 3/8	10 13/16	1 15/16 in.
	569	275	50 mm
1 Drawer	22 3/8	10 13/16	2 15/16 in.
	569	275	75 mm
N.W.	G.W.	CUFT	
28.4 KGS	32.4 KGS	4.3'	

FULL SIZE TOP CHEST

1. Powder coating finishing.
2. All series equipped with gas spring cylinder for safety and accessibility.
3. Chest cover automatically locks drawer when cover is closed.
4. Quick release design on ball bearing slide can be easily removed for replacement.
5. Drawer detent (stopper) prevent unintentional opening of drawer for replacement.

Steel thickness:

Top and bottom covers: 1.0mm

Body: 1.2mm

Drawer: 1.0mm

6. Hemmed edge for body to add strength and safety.
7. Heavy duty side handles.
8. Alum. Extrusion drawer's handle with cardboard and PVC strips to list content of drawers.
9. 100 numbers internal locking system for extra security.
10. 2mm protective drawer liners.



TB333-I-3X

3-Drawer Full Size Middle Chest
Ball Bearing Slides

	W	D	H
Overall	26	17 15/16	10 in.
	660	455	254 mm
2 Drawers	22 5/8	15	1 7/8 in.
	576	380	48.5 mm
1 Drawer	22 5/8	15	2 15/16 in.
	576	380	75 mm
N.W.	G.W.	CUFT	
24.8 KGS	28.3 KGS	5'	

TB333-6BX

6-Drawer Full Size Top Chest
Ball Bearing Slides
The Cover with Gas Spring

	W	D	H
Overall	26	17 15/16	19 in.
	660	455	483 mm
5 Drawers	22 5/8	16	1 7/8 in.
	576	410	48.5 mm
1 Drawer	22 5/8	16	2 15/16 in.
	576	410	75 mm
N.W.	G.W.	CUFT	
46.5 KGS	52.5 KGS	8.58'	

TB333-12BX

12-Drawer Full Size Top Chest
Ball Bearing Slides
The Cover with Gas Spring

	W	D	H
Overall	26	17 15/16	19 in.
	660	455	483 mm
9 Drawers	6 5/8	16	1 7/8 in.
	169	410	48.5 mm
2 Drawers	22 5/8	16	1 7/8 in.
	576	410	48.5 mm
1 Drawer	22 5/8	16	2 15/16 in.
	576	410	75 mm
N.W.	G.W.	CUFT	
55.2 KGS	59.2 KGS	8.58'	



TBP-02 (15")

Side panel for TB26 series
Without paper
Without vise



TBP-18

T-BAR for TB26 series
Without tools



TBP-T12

Drawer tray with dividers
Size: 236mm x 335mm x 43mm



TBP-03

Bottle side tray for TB26 series



TBP-MAT01

10mm thickness top liner for TB26 series
Size: 660mm x 450mm x 10mm



ME-0003

470mm Magnetic Tool Holder
* Heavy duty 1000 gauss permanent magnets
* Size: 470mm x 21mm x 21mm
* Magnetic capacity: 15 kgs



TBP-05 (18")

Side panel for TB26 series
ET series, TB15 series
Without paper



TBP-T01

Drawer tray
Size: 569mm x 104mm x 40mm



ME-0004

305mm Magnetic Tool Holder
* Heavy duty 1000 gauss permanent magnets
* Size: 305mm x 50mm x 7mm
* Magnetic capacity: 6 kgs



TBP-06

Carry tray for TB222 series & TB333 series



TBP-T02

Drawer tray with dividers
Size: 189mm x 270mm x 40mm



ME-0005

Magnetic Holder for Impact Wrench
* Special magnetic structure can firmly attach to ferric surface up to 15 kgs
* With PE coating finishing, this magnetic holder is environmental compliance (ROHS)
* Size: 350mm x 132mm x 90mm



TBP-07

Top tray for TB26 series



TBP-T03

Drawer tray with dividers
Size: 189mm x 270mm x 40mm



ME-0006

Multi-function Magnetic Tool Holder
* Floating-type magnet structure can firmly attach on tool carts or any steel surface up to 15 kgs of pull strength
* Easily extend width to 50 cm for more available space
* Size: 305mm x 103mm x 123mm
* Socket magnetic: 3000 gauss
* Powder coating / ROHS compliance



TBP-09

Side tray for TB26 series



TBP-T04

Drawer tray with dividers
Size: 189mm x 270mm x 40mm



ME-0017

Magnetic Tool Box
* Size: 410(L)x90+30(W)x185(H)x90(D)mm
* Magnetic capacity: 15kgs



TBP-11

Paper holder for TB26 series
Without paper



TBP-T06

Drawer tray with dividers
Size: 189mm x 270mm x 40mm



ME-0018

Magnetic Holder (Hook Type)
* Magnetic capacity: 9kgs



TBP-12

Bumper for TB26 series



TBP-T09

Drawer tray with dividers
Size: 236mm x 335mm x 43mm



ME-0019

Magnetic Holder (Wrench Type)
* Magnetic capacity: 9kgs



TBP-15

Side panel for TB26 series
Without tools
Size: 673mm x 455mm x 30mm



TBP-16

Bumper for TB26 series

A-MAX International Ltd.

A No.9, Alley 5, Lane 2, Secretary. 3, Fusing Rd., Taichung 40252, Taiwan

T 886-4-22613552

F 886-4-22616373

E amax.tool@msa.hinet.net

W www.amaxtool.com

www.amaxtool.com.tw